

CLAIM AMENDMENTS

Claim 1 (currently amended): A module for accessing small items, such as a key or token stored in a secure manner in a cartridge residing in said monitor, for controlled access thereto, which module comprises:

a housing having spaced top and bottom walls, and spaced sidewalls, normal thereto, a series of spaced separator walls define a plurality of cartridge slots, adapted to each receive one cartridge, said top and bottom walls each having elongated aligned recesses to receive its respective separator walls to define the plurality of cartridge slots, each being open in the front and closed off in part from the top wall downwardly a finite distance by a rear wall,

said rear wall having an inner surface and an outer surface, and having an ejection spring disposed within each cartridge slot on the inner surface of the rear wall;

a solenoid mount plate having a series of aligned openings each opening adapted to receive a portion of a solenoid there through, said solenoid mount plate being attached to the outer surface of the rear wall;

a series of solenoids corresponding one each to the respective cartridge slots, all of said solenoids being attached to said rear wall, and disposed through a respective opening in said solenoid mount plate,

pivotal latching means, one per cartridge slot pivotally mounted to said bottom wall and extending beneath said rear wall into a respective cartridge slot for engagement with the cartridge of the respective cartridge slot,

means to selectively energize each solenoid,

a series of cartridges each sized to be received by a slot within the housing, and each cartridge being open at the top and having a latch receiver at the rear thereof, each latch receiver adapted to engage a latching means,

whereby when a solenoid is energized, the solenoid impacts the respective latching means to disengage the latch receiver from the latching means, and said cartridge is urged out of said slot by the ejection spring associated with said slot by the spring moving from a tensed position to an at rest position.

Claim 2 (original): In the module of claim 1 wherein the latching means associated with each cartridge is a pivot block disposed rearwardly from the associated solenoid, which solenoid has a plunger, said pivot block having a latch pivotally mounted therein, and retained in an upward position by a latch spring until said latch is moved downwardly by the selective energization of the solenoid's plunger, at which event the latch is released from engagement with the cartridge.

1 Claim 3 (original) : In the module of claim 1 wherein each cartridge is about ½½" to 1"
2 wide and made of plastic, is open at the top, and has a downwardly depending metallic strip
3 extending from the rear wall, and having a recessed zone extending upwardly from the bottom
4 by the rear thereof to define a latch receiver.

5 Claim 4 (currently amended): A series of modules adapted to be retained linearly in a
6 column or row, all of which modules are mounted to a faceplate for disposition within a box for
7 placement in a cabinet,

8 said faceplate having a plurality of openings corresponding in size and number to the total
9 number of cartridge slots of all of the modules, each opening aligned with each slot,

10 said faceplate being attached to the series of modules,

11 each module having a series of adjacent cartridge slots for receipt of a cartridge to hold
12 small items, each cartridge having a rear latch receiver,

13 a solenoid and a latching means for each cartridge slot, said latching means, being
14 movable from a first position upward to a second position upon the energization of the solenoid,
15 said latching means being in engagement with the latch receiver on its respective cartridge when
16 said cartridge is disposed in its cartridge slot, to retain said cartridge in said slot and means to
17 selectively energize each solenoid.

18 Claim 5 (original): A plurality of faceplate mounted modules of claim 4 disposed within
19 a box for placement in a cabinet, each module having a plurality of cartridges in slots, and

20 means to access each cartridge selectively by at least one of an access mode or an access
21 code, wherein the access mode is electronically connected to each said module and to each
22 cartridge slot selectively, and

23 said access mode includes money receiving and magnetic card actuating means associated
24 therewith and electrically connected thereto.

25 Claim 6 (currently amended): A cabinet having a plurality of boxes, each box comprising
26 a faceplate with a plurality of modules mounted thereto,

27 said cabinet including electronic actuating means for said modules, mounted thereon and
28 electrically connected to selectively actuate each module,

29 said actuating means including at least one of an access code input device and an access
30 mode input device, said access mode input device being selected from the group consisting of
31 at least one of coin receiver, paper bill receiver, and credit/debit card readers,

32 each module having a plurality of removable storage cartridges for holding small items,
33 each cartridge being engageable to latching means forming a part of the module, each latching
34 means serving to retain the respective cartridge within the module, and said latching means being

1 electrically connected to said actuating means.

2 Claim 7 (original): In the cabinet of claim 6 wherein the actuating means also includes
3 an access code input device such as but not limited to a 10 key keypad, an alphanumeric input
4 device, a voice recognition system, and a computer key stroke modem input receiver.

5 Claim 8 (original): A process for accessing small items disposed in a cartridge of a
6 module holding a plurality of cartridges in slots, wherein a plurality of modules are disposed in
7 a cabinet, said cabinet including an actuating means electrically connected to each cartridge slot,
8 which process comprises:

9 (a) inputting one an access code or access mode to send a signal to a cartridge selector
10 in the cabinet to release a specific cartridge by energizing a solenoid to disengage a latch from
11 the specific cartridge previously selected,

12 (b) removing the cartridge now unlatched to empty the contents therefrom,

13 (c) emptying the contents from the selected cartridge,

14 (d) replacing the cartridge back into its slot in its module.

15 Claim 9(original): A process for accessing small items in a secure storage module, which
16 process comprises;

17 (a) inserting a source of monetary value selected from paper money, coins, a debit card
18 and a credit card into an access point to,

19 (b) create an electronic signal to a microprocessor and associated logic to select a specific
20 cartridge disposed within a module,

21 (c) releasing said specific cartridge from its slot in a module by unlatching a latch
22 retaining said cartridge in a slot,

23 (d) removing any item stored in the cartridge,

24 (e) replacing the cartridge into a slot in a module and re-latching the cartridge into the
25 module.

26 Claim 10 (original): A process for accessing small items in a secure storage module,
27 which process comprises:

28 (a) inputting an access mode code from a source selected from the group consisting of
29 a telephone keypad, a computer keypad electronically linked to an access point and a voice
30 recognition system to send a signal to a cartridge selector to disengage a latch retaining a specific
31 cartridge in a module,

32 (b) urging said cartridge from a slot within a module, for content removal,

33 (c) removing the cartridge's contents,

34 (d) replacing the cartridge back into its slot in its module and relatching the module into

place.

Claim 11 (currently amended): In the cabinet of claim 6, wherein each of the modules has a cartridge specific identification means associated with it the cartridge to indicate a storage in use condition, whereby upon selection of an individual cartridge, the identification ~~designator~~ means for that cartridge switches from an on condition to an off condition.

Claim 12 (currently amended): A system for the storage and release of small articles comprising a plurality of the modules of claim 1 and an access means electronically connected thereto, said modules and said access actuating means being disposed in a cabinet.

Claim 13 (original): In the module of claim 2 wherein each cartridge is about ½½ to 1" wide and made of plastic, is open at the top, and has a downwardly depending metallic strip extending from the rear wall, and having a recessed zone extending upwardly from the bottom by the rear thereof to define a latch receiver.